	1
	2
	3
	4
	5
	6
	7
	8
	9
1	0
1	1
1	2
1	3
1	4
1	5
1	6
1	7
1	8
1	9
2	0
2	1

(iii) Across slopes over 50% which lead to a watercourse or lake, without flattening to sufficiently dissipate water flow and trap sediment.

Anv exceptions to these standards granted by the Director shall require review by a

Certified Engineering Geologist or Licensed Geotechnical Engineer with experience
in forest road construction.

Any exceptions to these standards granted by the Director for construction of temporary roads shall require the abandonment of the temporary road in compliance with 14 CCR 923.8 immediately following cessation of active logging operations.

(4) Whenever new road construction is proposed and the plan submitter owns or controls any property contiguous to the parcel or parcels on which timber operations are proposed, and such contiguous property contains timberland, the RPF shall include a map and explanation of how the new road is integrated into the existing or proposed truck road and associated transportation system for all the contiguous property owned or controlled by the plan submitter on which timberland is found. Such proposed integrated truck road and associated transportation system shall be reviewed in connection with review of the proposed plan, and the plan shall be modified, if necessary, to assure that the approved plan will be compatible and consistent with timber operations on the contiguous property.

New road construction or road reconstruction on areas of active mass movement, inner gorge slopes (except at approved stream crossings) or headwater swales shall be reviewed by a Certified Engineering Geologist or Licensed Geotechnical Engineer with experience in forest road construction.

27

22

23

24

25

26

			·	
1	<u>b</u>)	All new seasonal and permanent roads shall be treated to prevent excessive loss of road		
2		surface materials by the use of non-erodible surfacing materials meeting the following		
3		minimu	<u>am standards:</u>	
4				
5		(1)	Roads with gradients between 0% and 10% require a drain rock surface compacted	
6			into a 4 inch sub-base of Class II baserock.	
7				
8		<u>(2)</u>	Roads with gradients between 10% and 15% require a 5-inch layer of Class II	
9			baserock and oil and screenings seal coat.	
0				
1		<u>(3)</u>	Roads with gradients greater than 15% require a 5-inch layer of Class II baserock	
2			with 1 -1/2 inches of asphaltic concrete overlav.	
3				
4		(4)	Existing permanent appurtenant roads used for any purpose during the winter period,	
5			as defined by 14 CCR Section 926.18. may be required to be surfaced. as specified	
6			above, if, upon the determination of the Director. such surfacing is necessary to	
.7			prevent excessive loss of road surface materials.	
8				
9	<u>(c)</u>	Until a	abandoned, all new and existing seasonal roads in the plan area shall be regularly	
0.		mainta	ined pursuant to an erosion and drainage plan approved by the County of Santa Cruz.	
1				
22	(<u>d</u>)	All ne	w tractor roads shall be abandoned pursuant to 14 CCR Section 923.8 immediately	
3		<u>followi</u>	ng cessation of active logging operations. 14 CCR 914.2(f)(3)[Coast only] shall not	
24		<u>apply</u>	in Santa Cruz County.	
25				
26	3.	926.16	5 Flagging [Santa Cruz County]	
27				
28	<u>(a)</u>	The lo	ocation of proposed truck roads, constructed tractor roads, landings, and watercourse	
			-	

crossings proposed to be used or constructed during the timber harvest, as well as residential buffer areas and riparian corridor areas where timber operations are prohibited pursuant to 14 CCR 926.24 or 14 CCR 926.26, shall be designated on the plan map and shall be located in the field with flagging. Such flagging shall occur prior to the preharvest inspection if one is to be conducted. Flagging for truck roads and constructed tractor roads will be inter-visible along the proposed alignments.

(b) The RPF or supervised designee shall flag the location of all water breaks which are within the WLPZ, on mapped unstable areas or on slopes over 65% regardless of erosion hazard rating.

4. 926.17 Abandonment of Roads and Landings [Santa Cruz County]

When an existing truck road, tractor road, or landing is located within the property of the landowner submitting the plan in an area in which it could not be newly constructed in conformance with these the Forest Practice Rules, rules then; such road or landing shall be abandoned, pursuant to 14 CCR 923.8, stabilized, re-vegetated, and restricted from vehicular use by the installation of gates and/or other devices to prevent access, following cessation of active loaning operations. prior to the Work Completion Inspection, unless the use of such road or landing would produce less environmental impact than the use of a new road or landing constructed in accordance with these rules.

5. <u>926.24 Residential Buffer Zone [Santa Cruz County]</u>

Harvesting or other timber operations are prohibited within 300 feet of any occupied legal dwelling used for residential purposes on non-TPZ parcels without unless the residential property owner's

written consent in writing is submitted with the plan. This prohibition does not apply to the removal of except for dead, dying and diseased trees which are imminently threatening any occupied legal dwelling or which constitute an imminent fire hazard. If timber operations do occur within 300 feet

2

3

4

5

6

7

8 9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

to the following limitations:

1999 AMENDMENTS TO THE CALIFORNIA FOREST PRACTICE RULES APPROVED BY THE

BOARD OF SUPERVISORS - January 26, 1999

- New text is underlined
- Deletions are shown with strikeout
- All other text is existing language

926.11 Flagging of Property Lines [Santa Cruz County]

In addition to other flagging requirements in Subchapter 3 of Title 14 CCR, the Director, where necessary to protect adjoining properties may require flagging of The RPF or his/her supervised designee shall, prior to plan submission to the Department, flag the approximate property lines of the timberland owner's parcel on the site where any truck road, tractor road or harvest area is proposed within 100 ft. of a property line, and the approximate boundaries of all residential buffer zones.

926.15 Road Construction and Maintenance [Santa Cruz County]

In addition to Article 12 (14 CCR Sections 923 through 923.8), the following shall apply in Santa Cruz County:

New logging roads, including all temporary, seasonal and permanent roads, shall be subject (a)

1		<u>(2)</u>	For areas where the harvest rate is 26-35% of those trees greater than 61.0 cm (24
2			ih).h. present prior to commencement of current timber operations, the re-entry
3			period shall be 14 years.
4			
5		<u>(3)</u>	Regardless of re-entry period, no more than 40% of the trees greater than 30.5 cm.
6			(12 in.) and less than 61 .O cm (24 in.) d.b.h. shall be harvested.
7			
8		<u>(4)</u>	No conifer shall be cut which is more than 22.9 m (75 ft.) from a leave tree of equal
9			size class. Equal size class is defined as follows:
10			
11			(a) Over 81.3 cm (32 in.) to 91.4 cm (36 in.) d.b.h.
12			
13			(b) Over 91.4 cm (36 in.) to 106.7 cm (42 in.) d.b.h.
14			
15			(c) Over 106.7 cm (42 in.) to 121.9 cm (48 in.) d.b.h.
16			
17			(d) Any tree over 121.9 cm (48 in.) d.b.h.
18			
19		<u>(5)</u>	No old growth conifer shall be harvested in any non-TP zone property. As used herein
20		"old g	rowth conifers" are described as predominant trees that are at least 200 years old.
21			
22	<u>(c)</u>	Trees	that could have been harvested in a the riparian no cut zone, but for the provisions
23		of 14	CCR 926.26 or in the residential buffer zone. but for the provisions of 14 CCR 926.24,
24		and tre	ees that could have been cut in a WLPZ but for the provisions of 14 CCR 926.26 shall
25		be cou	inted for the purpose of determining compliance with the cutting standards under 14
26		CCR 9	926.25(a) and (b) may be credited one time only, by the allowed harvest of additional
27		trace	yer 45.7 cm (18 in) d.h.h. outside the WI D7. At no time can the credit of trees result

28

in a harvest of over 60% of the trees over 45.7 cm (18 in.) d.b.h. on TPZ parcels, or 40% of

A	TT	AC	H	М	F٨	IT	7

1		the trees	over 45.7 cm (18 in.) d.b.h. on non-TPZ parcels.	^ r333
2	<u>d</u>)	When a	Non-industrial Timber Management Plan (NTMP) or a Sus	tained Yield Plan (SYP)
4		as provid	ded in Article 6.5 and 6.75, Subchapter 7, is submitted to the	ne Director, an alternative
5		method	may be approved if the RPF submits a stratified randor	n sample of the timber
6		resource	es on the property or harvest area, with growth data	that supports a cutting
7		percenta	age and cutting cycle that can be predicted to achieve a subs	stantially similar yield of
8		timber o	n each successive harvest with a degree of statistical certainty	of +/- 5%. In no event
9		shall th	e re-entry period be less than 10 years. Before comm	encement of harvesting
10		operatio	ons the property owner shall record with the County Re	corder a Declaration of
11		Restriction	ons which cites the approved cutting percentages and re-entr	ry period as stated in the
12		NTMP	or SYP.	
13				
14				
15	7.	926.26	Watercourse and Lake Protection [Santa Cruz County]	
16				
17	In add	ition to th	ne requirement of Article 6 (14 CCR Sections 916 to 916.10	the following shall apply
18	in San	ıta Cruz C	County:	
19				
20	(<u>a</u>)	On TPZ	Z parcels, no timber harvesting operations are allowed within	n riparian corridors. The
21		width o	f this no cut. no entry zone is defined as follows:	
22				
23		<u>(1)</u>	At least 15.2 m (50 feet) from Class I and II watercourses a	nd wetlands wet meadows
24			and other wet areas.	
25				
26		<u>(2)</u>	At least 3.1 m (10 feet) from Class III watercourses.	
27				

45

The width of the riparian corridor shall be measured horizontally out from each side

<u>(3)</u>

			ATTACHMENT 7		
1			of the watercourse bank.		
2		(4)	Everations are allowed for temperature stream areasings (fords buildess subverts) if no		
3	·	<u>(4)</u>	Exceptions are allowed for temporary stream crossings (fords, bridges, culverts) if no		
4			other feasible alternative exists as explained and justified in the THP and approved by		
5			the Director.		
67	<u>(b)</u>	On no	a-TPZ parcels, no timber harvesting operations are allowed within non-TPZ riparian		
8	ζΦ)		rs. The width of this no cut. no entry zone is defined as follows:		
9		corrido	15. The width of this no cut, no entry zone is defined as follows.		
10		<u>(1)</u>	At least 38.0 m (125 feet) from Class I and II watercourses and wetlands wet		
11		* 	meadows and other wet areas,		
12					
13		<u>(2)</u>	At least 3.1 m (10 feet) from Class III watercourses.		
14					
15		<u>(3)</u>	The width of the riparian corridor shall be measured horizontally out from each side		
16			of the watercourse bank.		
17					
18		<u>(4)</u>	Exceptions are allowed for temporary stream crossings (fords. bridges, culverts, cable		
19			corridors) if no other feasible alternative exists as explained and justified in the THP		
20			and approved by the Director; provided that no cable corridor shall be cut within the		
21			riparian corridor. Full suspension vardina across the riparian corridor shall be		
22			permitted only if it can be accomplished without falling or harvesting trees inside the		
23			riparian corridor.		
24					
25					
26	8.	926.27	Non-native Plants [Santa Cruz County]		
27					
28	Maintenance activities for the eradication of French broom or other invasive, non-native plants as				

0.335

defined by a list provided by the County along harvest roads and landings should occur on the first.

third and fifth year after the initial site disturbance occurs. Where seeding is needed for erosion control, the use of appropriate native or non-invasive exotic plants, such as cereal barley, is recommended.

9. <u>926.28 Helicopter Operations [Santa Cruz County]</u>

Helicopter yarding of timber shall only be permitted for timber harvested from properties zoned TP. Helicopter service and log landing zones must be sited within the THP boundaries on either property zoned TP or on contiguous properties to property zoned TP that is owned by the owner of the TP property. Helicopter flights for log transport between the area where the felling is occurring and the landing must occur only over property contained within the approved THP. No helicopter flight may occur within 1,000 feet horizontally of an occupied legal dwelling, provided that the Director may reduce this requirement to 500 feet with the written concurrence of the residential inhabitant. Helicopter operations are restricted to the hours between 7:00 a.m. and 5:00 p.m. and shall be prohibited on Saturdays, Sundays and nationally designated legal holidays. Within a calendar year, no more than 10 cumulative days of total helicopter yarding; shall be allowed within each Resource Conservation District watershed by all possible plan submitters combined. Within a five year period, no more than 10 cumulative days of total helicopter yarding shall be allowed within a two mile radius of any prior helicopter yarding operation occurring within such period. As used herein, one day shall be defined as a total of 10 hours of flight time, which may occur on more than one calendar day.

10. 926.29 Emergency Conditions [Santa Cruz County]

A "financial emergency" as defined in 14 CCR 895.1 (Emergency (b)) and further referred to in 14

28 CCR 1052.1 (Emergency Conditions) shall only constitute an emergency for the purposes of the

Santa Cruz County Rules if the work proposed to be done under the emergency authorization is
minor in scope and can be done without any significant adverse impact on any adjoining landowner,
including others with the right to use private roads proposed to be used by the plan submitter, or on
the environment.

11. <u>926.30 Entry by County Representative for Inspection [Santa Cruz County]</u>

The County representative who is designated to participate in or who participated in the Review

Team may enter and inspect the property that is subject to a timber harvest application during normal business hours at any time after commencement during the conduct of timber harvest plan activities on the land and after 24 hours notice to the landowner, the RPF and the LTO if any of his employees are engaged in activities on the site, for the purpose of reviewing, the methods being utilized in the timber harvest plan activities and efforts to comply with the requirements of the Forest Practice Rules.

In carrying out such inspection, s/he may utilize any measurement or evaluation tools or apparatus, including temperature measurement equipment, cameras or video equipment. Any photos or videos shall be clearly labeled as to time, date and location, and shall remain the property of the County of Santa Cruz but shall constitute public records. If such representative becomes aware of any material lack of compliance with such Rules or any other provisions of the California Forest Practice Rules applicable to such harvest activities, s/he shall promptly notify the Director in writing of such alleged non-compliance.

- 10 -