

COUNTY OF SANTA CRUZ
PLANNING DEPARTMENT
701 Ocean Street, 4th Floor
Santa Cruz, CA 95060
(831) 454-2580

NOTICE OF PENDING ACTION

The Planning Department has received the following application. The identified planner may be contacted for specific information on this application.

APPLICATON NUMBER: 161181

APN: 025-082-36

Proposal to expand an existing deli into a former 1,200 square foot donut shop and to construct a commercial kitchen, employee break room, liquor/bulk storage, and to complete accessibility improvements. Requires an Amendment to Commercial Development Permit 89-0167. Property located on the north side of Soquel Drive (next to 7-11), east of the intersection of Mission Drive and Soquel Drive (1815 Soquel Drive).

OWNER: Donald & Judie Fassio

APPLICANT: Michael Helm

SUPERVISORIAL DISTRICT: 1

PLANNER: Jerry Busch, (831) 454-3234

email: jerry.busch@santacruzcounty.us





Public comments must be received by 5:00 p.m. October 10, 2016.

A decision will be made on or shortly after October 17, 2016.

Appeals of the decision will be accepted until 5:00 p.m. October 31, 2016.

Information regarding the appeal process, including required fees, may be obtained by phoning (831) 454-2130 from 1:00 until 4:00 p.m., Monday through Friday.

For more information, call the project planner identified above.

[illegible][illegible][illegible]

INTERIOR FINISH SCHEDULE



1. FINISH SCHEDULE
2. FINISH SCHEDULE

ALL INTERIOR WALLS, CEILING, FLOOR, AND DOOR CASINGS SHALL BE FINISHED WITH THE FOLLOWING FINISHES UNLESS OTHERWISE SPECIFIED. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE.

WALLS & CEILING: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE. FLOORS: 1. POLISHED CONCRETE. 2. CARPET, 1/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. DOORS & WINDOWS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE. CASINGS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.

GENERAL NOTES: 1. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE. 2. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE. 3. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE. 4. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE. 5. FINISHES SHALL BE APPLIED TO ALL SURFACES EXCEPT WHERE NOTED OTHERWISE.

ITEM	DESCRIPTION	UNIT	QUANTITY
1	WALLS & CEILING: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	1000
2	FLOORS: 1. POLISHED CONCRETE. 2. CARPET, 1/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED.	SQ. YD.	500
3	DOORS & WINDOWS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	200
4	CASINGS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	100



PROPOSED FLOOR PLAN

GENERAL DOOR NOTES

1. FINISH SCHEDULE
2. FINISH SCHEDULE
3. FINISH SCHEDULE
4. FINISH SCHEDULE
5. FINISH SCHEDULE
6. FINISH SCHEDULE
7. FINISH SCHEDULE
8. FINISH SCHEDULE
9. FINISH SCHEDULE
10. FINISH SCHEDULE
11. FINISH SCHEDULE
12. FINISH SCHEDULE
13. FINISH SCHEDULE
14. FINISH SCHEDULE
15. FINISH SCHEDULE
16. FINISH SCHEDULE
17. FINISH SCHEDULE
18. FINISH SCHEDULE
19. FINISH SCHEDULE
20. FINISH SCHEDULE
21. FINISH SCHEDULE
22. FINISH SCHEDULE
23. FINISH SCHEDULE
24. FINISH SCHEDULE
25. FINISH SCHEDULE
26. FINISH SCHEDULE
27. FINISH SCHEDULE
28. FINISH SCHEDULE
29. FINISH SCHEDULE
30. FINISH SCHEDULE
31. FINISH SCHEDULE
32. FINISH SCHEDULE
33. FINISH SCHEDULE
34. FINISH SCHEDULE
35. FINISH SCHEDULE
36. FINISH SCHEDULE
37. FINISH SCHEDULE
38. FINISH SCHEDULE
39. FINISH SCHEDULE
40. FINISH SCHEDULE
41. FINISH SCHEDULE
42. FINISH SCHEDULE
43. FINISH SCHEDULE
44. FINISH SCHEDULE
45. FINISH SCHEDULE
46. FINISH SCHEDULE
47. FINISH SCHEDULE
48. FINISH SCHEDULE
49. FINISH SCHEDULE
50. FINISH SCHEDULE
51. FINISH SCHEDULE
52. FINISH SCHEDULE
53. FINISH SCHEDULE
54. FINISH SCHEDULE
55. FINISH SCHEDULE
56. FINISH SCHEDULE
57. FINISH SCHEDULE
58. FINISH SCHEDULE
59. FINISH SCHEDULE
60. FINISH SCHEDULE
61. FINISH SCHEDULE
62. FINISH SCHEDULE
63. FINISH SCHEDULE
64. FINISH SCHEDULE
65. FINISH SCHEDULE
66. FINISH SCHEDULE
67. FINISH SCHEDULE
68. FINISH SCHEDULE
69. FINISH SCHEDULE
70. FINISH SCHEDULE
71. FINISH SCHEDULE
72. FINISH SCHEDULE
73. FINISH SCHEDULE
74. FINISH SCHEDULE
75. FINISH SCHEDULE
76. FINISH SCHEDULE
77. FINISH SCHEDULE
78. FINISH SCHEDULE
79. FINISH SCHEDULE
80. FINISH SCHEDULE
81. FINISH SCHEDULE
82. FINISH SCHEDULE
83. FINISH SCHEDULE
84. FINISH SCHEDULE
85. FINISH SCHEDULE
86. FINISH SCHEDULE
87. FINISH SCHEDULE
88. FINISH SCHEDULE
89. FINISH SCHEDULE
90. FINISH SCHEDULE
91. FINISH SCHEDULE
92. FINISH SCHEDULE
93. FINISH SCHEDULE
94. FINISH SCHEDULE
95. FINISH SCHEDULE
96. FINISH SCHEDULE
97. FINISH SCHEDULE
98. FINISH SCHEDULE
99. FINISH SCHEDULE
100. FINISH SCHEDULE

EQUIPMENT SCHEDULE

ITEM	DESCRIPTION	UNIT	QUANTITY
1	WALLS & CEILING: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	1000
2	FLOORS: 1. POLISHED CONCRETE. 2. CARPET, 1/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED.	SQ. YD.	500
3	DOORS & WINDOWS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	200
4	CASINGS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	100

PLUMBING SCHEDULE

ITEM	DESCRIPTION	UNIT	QUANTITY
1	WALLS & CEILING: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	1000
2	FLOORS: 1. POLISHED CONCRETE. 2. CARPET, 1/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED.	SQ. YD.	500
3	DOORS & WINDOWS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	200
4	CASINGS: 1. GYPSUM BOARD, 5/8" THICK, TYPE X, FIRE RATED, JOINTS AND SCREWS FINISHED. 2. PAINT, SEMI-GLOSS, WHITE.	SQ. YD.	100

KITCHEN NOTES


1. FINISH SCHEDULE
2. FINISH SCHEDULE
3. FINISH SCHEDULE
4. FINISH SCHEDULE
5. FINISH SCHEDULE
6. FINISH SCHEDULE
7. FINISH SCHEDULE
8. FINISH SCHEDULE
9. FINISH SCHEDULE
10. FINISH SCHEDULE
11. FINISH SCHEDULE
12. FINISH SCHEDULE
13. FINISH SCHEDULE
14. FINISH SCHEDULE
15. FINISH SCHEDULE
16. FINISH SCHEDULE
17. FINISH SCHEDULE
18. FINISH SCHEDULE
19. FINISH SCHEDULE
20. FINISH SCHEDULE
21. FINISH SCHEDULE
22. FINISH SCHEDULE
23. FINISH SCHEDULE
24. FINISH SCHEDULE
25. FINISH SCHEDULE
26. FINISH SCHEDULE
27. FINISH SCHEDULE
28. FINISH SCHEDULE
29. FINISH SCHEDULE
30. FINISH SCHEDULE
31. FINISH SCHEDULE
32. FINISH SCHEDULE
33. FINISH SCHEDULE
34. FINISH SCHEDULE
35. FINISH SCHEDULE
36. FINISH SCHEDULE
37. FINISH SCHEDULE
38. FINISH SCHEDULE
39. FINISH SCHEDULE
40. FINISH SCHEDULE
41. FINISH SCHEDULE
42. FINISH SCHEDULE
43. FINISH SCHEDULE
44. FINISH SCHEDULE
45. FINISH SCHEDULE
46. FINISH SCHEDULE
47. FINISH SCHEDULE
48. FINISH SCHEDULE
49. FINISH SCHEDULE
50. FINISH SCHEDULE
51. FINISH SCHEDULE
52. FINISH SCHEDULE
53. FINISH SCHEDULE
54. FINISH SCHEDULE
55. FINISH SCHEDULE
56. FINISH SCHEDULE
57. FINISH SCHEDULE
58. FINISH SCHEDULE
59. FINISH SCHEDULE
60. FINISH SCHEDULE
61. FINISH SCHEDULE
62. FINISH SCHEDULE
63. FINISH SCHEDULE
64. FINISH SCHEDULE
65. FINISH SCHEDULE
66. FINISH SCHEDULE
67. FINISH SCHEDULE
68. FINISH SCHEDULE
69. FINISH SCHEDULE
70. FINISH SCHEDULE
71. FINISH SCHEDULE
72. FINISH SCHEDULE
73. FINISH SCHEDULE
74. FINISH SCHEDULE
75. FINISH SCHEDULE
76. FINISH SCHEDULE
77. FINISH SCHEDULE
78. FINISH SCHEDULE
79. FINISH SCHEDULE
80. FINISH SCHEDULE
81. FINISH SCHEDULE
82. FINISH SCHEDULE
83. FINISH SCHEDULE
84. FINISH SCHEDULE
85. FINISH SCHEDULE
86. FINISH SCHEDULE
87. FINISH SCHEDULE
88. FINISH SCHEDULE
89. FINISH SCHEDULE
90. FINISH SCHEDULE
91. FINISH SCHEDULE
92. FINISH SCHEDULE
93. FINISH SCHEDULE
94. FINISH SCHEDULE
95. FINISH SCHEDULE
96. FINISH SCHEDULE
97. FINISH SCHEDULE
98. FINISH SCHEDULE
99. FINISH SCHEDULE
100. FINISH SCHEDULE

A. GENITAL CONTACTOR TO ENSURE PROPER PRESERVATION IS USED FOR ALL MEN SERVED.


- [illegible]

[illegible]

- [illegible]

$$142^{\circ} \approx 3^{\circ} - 0$$


17200000
9/11/2008



LAVATORY - TOTAL, LOCKED, SELF-CLOSING, USES WALL MOUNTED LAVATORY WITH 16.00" DEEP AND 24" BATHING POWERED FLUKE & REQUIRED FITTING, INSULATE HOT WATER AND DRAINAGE UNDER LAVATORY WITH "MAVIO-BRIND" SAFETY COVERING AS MANUFACTURED BY PLUMBERS SPECIALTY PRODUCTS. THESE SHALL BE NO SHARP OR ABRAISIVE SURFACES UNDER LAVATORY.

- [illegible]

681 4" GRAB BAR - B-6604 X 23
MOUNT CENTERLINE @ 37" ABV. F.N. FLR

682 4" GRAB BAR - B-6604 X 44
MOUNT CENTERLINE @ 37" ABV. F.N. FLR

HD CASUALTY MATTRESS DISPOSAL - B-2270
SURFACE MOUNTED


- PT MATRIN TOWEL DISPENSER - B-4444
ELECTRICALLY OPERATED, PAPER TOWEL
BUILT TO BE WIPED + OF ANY FIBER FILL
- SS SEAT COVER DISPENSER - B-4321
SURFACE MOUNTED
- SD SOAP DISPENSER - B-4422
SOAP DISPENSER (REIL) COMBINE WITH
LESS THAN 4 POUNDS OF FORCE
- TP TOTAL PLASTIC HANGER - B-2746
SURFACE MOUNTED
- NOTES:

- 1 ALL CATALOG NUMBERS ARE AS LISTED BY ROBRICK
- 2 HOLST ALL ACCESSORIES AT HEAD TITLE 24 AND AOA / ACCESSIBILITY PRE
- 3 PROVIDE SUBSTITUTES ON ALL ITEMS


- 1 ALL CATALOG NUMBERS ARE AS LISTED BY ROBRICK
- 2 HOLST ALL ACCESSORIES AT HEAD TITLE 24 AND AOA / ACCESSIBILITY PRE
- 3 PROVIDE SUBSTITUTES ON ALL ITEMS

Journal of Management Education

1. The first step in the process is to identify the problem. This involves gathering information about the situation and the people involved. It is important to understand the context and the stakes of the problem.
2. Once the problem is identified, the next step is to analyze it. This involves breaking the problem down into its components and understanding how they are related. It is important to identify the root cause of the problem, rather than just the symptoms.
3. After analyzing the problem, the next step is to develop a plan. This involves identifying the goals of the solution and the steps that need to be taken to achieve them. It is important to consider the resources available and the potential obstacles to the solution.
4. The final step in the process is to implement the plan. This involves putting the plan into action and monitoring the progress. It is important to be flexible and adjust the plan as needed, based on the results of the implementation.
5. Once the problem has been solved, it is important to evaluate the solution. This involves assessing the effectiveness of the solution and the impact it has had on the organization. It is important to learn from the experience and use the lessons learned to improve future problem-solving efforts.



ELECTRICAL - LIGHTING PLAN



ELECTRICAL - POWER PLAN

REFERENCE NOTES


1. EXTENDING OFFSHORE ROAD BEYOND A 114' ABOVE SEA LEVEL. HORIZONTAL, A CLAY AND SAND ROAD (SEE ATTACHED SLOTHS) OF NEARLY ANY TYPE. A STRONG ROAD SHOULD BE APPLIED TO APPLICATION OF NEW PAVEMENT.
2. EXTENDING OFFSHORE ROAD BEYOND A 114' ABOVE SEA LEVEL. HORIZONTAL, A CLAY AND SAND ROAD (SEE ATTACHED SLOTHS) OF NEARLY ANY TYPE. A STRONG ROAD SHOULD BE APPLIED TO APPLICATION OF NEW PAVEMENT.
3. EXTENDING WATER RESISTANT OFFSHORE ROAD BEYOND A 114' ABOVE SEA LEVEL. HORIZONTAL, A CLAY AND SAND ROAD (SEE ATTACHED SLOTHS) OF NEARLY ANY TYPE. A STRONG ROAD SHOULD BE APPLIED TO APPLICATION OF NEW PAVEMENT.

LIGHTING FIXTURE SPECIFICATIONS

[illegible]

LEGEND

-  EXISTING PAINT OR FLUORESCENT SIGN FIXTURE TO BE REMOVED
-  NEW LED RECESSED OPEN DOWNLIGHT
-  NEW PENDANT MOUNTED DECORATIVE LIGHT FIXTURE
-  NEW ILLUMINATED EXIT SIGN






ELECTRICAL REFERENCE NOTES

- [illegible]

ELECTRICAL SYMBOL LEGEND


- Ⓐ 110 VOLT, 20 AMP OVER EX. OUTLET
- Ⓑ TELEPHONE / DATA LOCATION
- Ⓒ SPECIALTY OUTLET, 220 VOLT, 3 PHASE, 20 AMP
- Ⓓ EXISTING 110 VOLT, 20 AMP DUPLEX OUTLET TO REMAIN




EQUIPMENT SCHEDULE	
Qty.	Description
1	Welding Machine, 250 Amp
2	Table Saw, 10' x 48" x 10"
3	Hand Saw, 10' x 48" x 10"
4	Hand Saw, 10' x 48" x 10"
5	Hand Saw, 10' x 48" x 10"
6	Hand Saw, 10' x 48" x 10"
7	Hand Saw, 10' x 48" x 10"
8	Hand Saw, 10' x 48" x 10"
9	Hand Saw, 10' x 48" x 10"
10	Hand Saw, 10' x 48" x 10"
11	Hand Saw, 10' x 48" x 10"
12	Hand Saw, 10' x 48" x 10"
13	Hand Saw, 10' x 48" x 10"
14	Hand Saw, 10' x 48" x 10"
15	Hand Saw, 10' x 48" x 10"
16	Hand Saw, 10' x 48" x 10"
17	Hand Saw, 10' x 48" x 10"
18	Hand Saw, 10' x 48" x 10"
19	Hand Saw, 10' x 48" x 10"
20	Hand Saw, 10' x 48" x 10"
21	Hand Saw, 10' x 48" x 10"
22	Hand Saw, 10' x 48" x 10"
23	Hand Saw, 10' x 48" x 10"
24	Hand Saw, 10' x 48" x 10"
25	Hand Saw, 10' x 48" x 10"
26	Hand Saw, 10' x 48" x 10"
27	Hand Saw, 10' x 48" x 10"
28	Hand Saw, 10' x 48" x 10"
29	Hand Saw, 10' x 48" x 10"
30	Hand Saw, 10' x 48" x 10"
31	Hand Saw, 10' x 48" x 10"
32	Hand Saw, 10' x 48" x 10"
33	Hand Saw, 10' x 48" x 10"
34	Hand Saw, 10' x 48" x 10"
35	Hand Saw, 10' x 48" x 10"
36	Hand Saw, 10' x 48" x 10"
37	Hand Saw, 10' x 48" x 10"
38	Hand Saw, 10' x 48" x 10"
39	Hand Saw, 10' x 48" x 10"
40	Hand Saw, 10' x 48" x 10"
41	Hand Saw, 10' x 48" x 10"
42	Hand Saw, 10' x 48" x 10"
43	Hand Saw, 10' x 48" x 10"
44	Hand Saw, 10' x 48" x 10"
45	Hand Saw, 10' x 48" x 10"
46	Hand Saw, 10' x 48" x 10"
47	Hand Saw, 10' x 48" x 10"
48	Hand Saw, 10' x 48" x 10"
49	Hand Saw, 10' x 48" x 10"
50	Hand Saw, 10' x 48" x 10"
51	Hand Saw, 10' x 48" x 10"
52	Hand Saw, 10' x 48" x 10"
53	Hand Saw, 10' x 48" x 10"
54	Hand Saw, 10' x 48" x 10"
55	Hand Saw, 10' x 48" x 10"
56	Hand Saw, 10' x 48" x 10"
57	Hand Saw, 10' x 48" x 10"
58	Hand Saw, 10' x 48" x 10"
59	Hand Saw, 10' x 48" x 10"
60	Hand Saw, 10' x 48" x 10"
61	Hand Saw, 10' x 48" x 10"
62	Hand Saw, 10' x 48" x 10"
63	Hand Saw, 10' x 48" x 10"
64	Hand Saw, 10' x 48" x 10"
65	Hand Saw, 10' x 48" x 10"
66	Hand Saw, 10' x 48" x 10"
67	Hand Saw, 10' x 48" x 10"
68	Hand Saw, 10' x 48" x 10"
69	Hand Saw, 10' x 48" x 10"
70	Hand Saw, 10' x 48" x 10"
71	Hand Saw, 10' x 48" x 10"
72	Hand Saw, 10' x 48" x 10"
73	Hand Saw, 10' x 48" x 10"
74	Hand Saw, 10' x 48" x 10"
75	Hand Saw, 10' x 48" x 10"
76	Hand Saw, 10' x 48" x 10"
77	Hand Saw, 10' x 48" x 10"
78	Hand Saw, 10' x 48" x 10"
79	Hand Saw, 10' x 48" x 10"
80	Hand Saw, 10' x 48" x 10"
81	Hand Saw, 10' x 48" x 10"
82	Hand Saw, 10' x 48" x 10"
83	Hand Saw, 10' x 48" x 10"
84	Hand Saw, 10' x 48" x 10"
85	Hand Saw, 10' x 48" x 10"
86	Hand Saw, 10' x 48" x 10"
87	Hand Saw, 10' x 48" x 10"
88	Hand Saw, 10' x 48" x 10"
89	Hand Saw, 10' x 48" x 10"
90	Hand Saw, 10' x 48" x 10"
91	Hand Saw, 10' x 48" x 10"
92	Hand Saw, 10' x 48" x 10"
93	Hand Saw, 10' x 48" x 10"
94	Hand Saw, 10' x 48" x 10"
95	Hand Saw, 10' x 48" x 10"
96	Hand Saw, 10' x 48" x 10"
97	Hand Saw, 10' x 48" x 10"
98	Hand Saw, 10' x 48" x 10"
99	Hand Saw, 10' x 48" x 10"
100	Hand Saw, 10' x 48" x 10"

1	Find a suitable reference source. Identify keywords related to topic.	20% of original
2	Write down the relevant information from the source and transfer it to a table. Write down any relevant notes on the table.	10% of original
3	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
4	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
5	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
6	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
7	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
8	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
9	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original
10	Read the relevant source, make a list of relevant information and transfer it to a table. Write down any relevant notes on the table.	10% of original


[illegible]




NOTES:
1. DOOR FRAME SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
2. THRESHOLD SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
3. WALL FINISH SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
4. DOOR SWELL SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
5. DOOR STOP SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
6. DOOR SEAL SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.




DOOR CLEARANCES




WALL INTERSECTIONS




TYPICAL INTERIOR DOOR JAMB




8. FINE DETAIL WHERE CORNER SET



7. INTERIOR DOOR DETAIL WHERE CORNER SET




TYPICAL WALL ELEVATION




NOTES:
1. DOOR FRAME SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
2. THRESHOLD SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
3. WALL FINISH SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
4. DOOR SWELL SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
5. DOOR STOP SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
6. DOOR SEAL SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.

HOLES AND NOTCHING IN FRAMING MEMBERS



5. ANCHOR BOLT AND SILL PLATE



NOTES:
1. DOOR FRAME SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
2. THRESHOLD SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
3. WALL FINISH SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
4. DOOR SWELL SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
5. DOOR STOP SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
6. DOOR SEAL SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.

STATE OF NEW YORK	IN SENATE,	January 11, 1917.
REPORT		
OF THE		
COMMISSIONERS OF THE LAND OFFICE.		
ALBANY:		
J. B. LIPPINCOTT & CO.,		
PRINTERS.		

[illegible][illegible][illegible]

Mandatory Ambient Lighting Control Schedule, and Calculation, and Risk Inspection Checklist									
Part 1: Client Information									
1. Client Name: _____ 2. Client Address: _____ 3. Client Contact Person: _____ 4. Client Phone: _____ 5. Client Email: _____ 6. Client Website: _____ 7. Client Fax: _____ 8. Client Mobile: _____ 9. Client Email: _____ 10. Client Website: _____ 11. Client Fax: _____ 12. Client Mobile: _____ 13. Client Email: _____ 14. Client Website: _____ 15. Client Fax: _____ 16. Client Mobile: _____ 17. Client Email: _____ 18. Client Website: _____ 19. Client Fax: _____ 20. Client Mobile: _____ 21. Client Email: _____ 22. Client Website: _____ 23. Client Fax: _____ 24. Client Mobile: _____ 25. Client Email: _____ 26. Client Website: _____ 27. Client Fax: _____ 28. Client Mobile: _____ 29. Client Email: _____ 30. Client Website: _____ 31. Client Fax: _____ 32. Client Mobile: _____ 33. Client Email: _____ 34. Client Website: _____ 35. Client Fax: _____ 36. Client Mobile: _____ 37. Client Email: _____ 38. Client Website: _____ 39. Client Fax: _____ 40. Client Mobile: _____ 41. Client Email: _____ 42. Client Website: _____ 43. Client Fax: _____ 44. Client Mobile: _____ 45. Client Email: _____ 46. Client Website: _____ 47. Client Fax: _____ 48. Client Mobile: _____ 49. Client Email: _____ 50. Client Website: _____ 51. Client Fax: _____ 52. Client Mobile: _____ 53. Client Email: _____ 54. Client Website: _____ 55. Client Fax: _____ 56. Client Mobile: _____ 57. Client Email: _____ 58. Client Website: _____ 59. Client Fax: _____ 60. Client Mobile: _____ 61. Client Email: _____ 62. Client Website: _____ 63. Client Fax: _____ 64. Client Mobile: _____ 65. Client Email: _____ 66. Client Website: _____ 67. Client Fax: _____ 68. Client Mobile: _____ 69. Client Email: _____ 70. Client Website: _____ 71. Client Fax: _____ 72. Client Mobile: _____ 73. Client Email: _____ 74. Client Website: _____ 75. Client Fax: _____ 76. Client Mobile: _____ 77. Client Email: _____ 78. Client Website: _____ 79. Client Fax: _____ 80. Client Mobile: _____ 81. Client Email: _____ 82. Client Website: _____ 83. Client Fax: _____ 84. Client Mobile: _____ 85. Client Email: _____ 86. Client Website: _____ 87. Client Fax: _____ 88. Client Mobile: _____ 89. Client Email: _____ 90. Client Website: _____ 91. Client Fax: _____ 92. Client Mobile: _____ 93. Client Email: _____ 94. Client Website: _____ 95. Client Fax: _____ 96. Client Mobile: _____ 97. Client Email: _____ 98. Client Website: _____ 99. Client Fax: _____ 100. Client Mobile: _____ 101. Client Email: _____ 102. Client Website: _____ 103. Client Fax: _____ 104. Client Mobile: _____ 105. Client Email: _____ 106. Client Website: _____ 107. Client Fax: _____ 108. Client Mobile: _____ 109. Client Email: _____ 110. Client Website: _____ 111. Client Fax: _____ 112. Client Mobile: _____ 113. Client Email: _____ 114. Client Website: _____ 115. Client Fax: _____ 116. Client Mobile: _____ 117. Client Email: _____ 118. Client Website: _____ 119. Client Fax: _____ 120. Client Mobile: _____ 121. Client Email: _____ 122. Client Website: _____ 123. Client Fax: _____ 124. Client Mobile: _____ 125. Client Email: _____ 126. Client Website: _____ 127. Client Fax: _____ 128. Client Mobile: _____ 129. Client Email: _____ 130. Client Website: _____ 131. Client Fax: _____ 132. Client Mobile: _____ 133. Client Email: _____ 134. Client Website: _____ 135. Client Fax: _____ 136. Client Mobile: _____ 137. Client Email: _____ 138. Client Website: _____ 139. Client Fax: _____ 140. Client Mobile: _____ 141. Client Email: _____ 142. Client Website: _____ 143. Client Fax: _____ 144. Client Mobile: _____ 145. Client Email: _____ 146. Client Website: _____ 147. Client Fax: _____ 148. Client Mobile: _____ 149. Client Email: _____ 150. Client Website: _____ 151. Client Fax: _____ 152. Client Mobile: _____ 153. Client Email: _____ 154. Client Website: _____ 155. Client Fax: _____ 156. Client Mobile: _____ 157. Client Email: _____ 158. Client Website: _____ 159. Client Fax: _____ 160. Client Mobile: _____ 161. Client Email: _____ 162. Client Website: _____ 163. Client Fax: _____ 164. Client Mobile: _____ 165. Client Email: _____ 166. Client Website: _____ 167. Client Fax: _____ 168. Client Mobile: _____ 169. Client Email: _____ 170. Client Website: _____ 171. Client Fax: _____ 172. Client Mobile: _____ 173. Client Email: _____ 174. Client Website: _____ 175. Client Fax: _____ 176. Client Mobile: _____ 177. Client Email: _____ 178. Client Website: _____ 179. Client Fax: _____ 180. Client Mobile: _____ 181. Client Email: _____ 182. Client Website: _____ 183. Client Fax: _____ 184. Client Mobile: _____ 185. Client Email: _____ 186. Client Website: _____ 187. Client Fax: _____ 188. Client Mobile: _____ 189. Client Email: _____ 190. Client Website: _____ 191. Client Fax: _____ 192. Client Mobile: _____ 193. Client Email: _____ 194. Client Website: _____ 195. Client Fax: _____ 196. Client Mobile: _____ 197. Client Email: _____ 198. Client Website: _____ 199. Client Fax: _____ 200. Client Mobile: _____ 201. Client Email: _____ 202. Client Website: _____ 203. Client Fax: _____ 204. Client Mobile: _____ 205. Client Email: _____ 206. Client Website: _____ 207. Client Fax: _____ 208. Client Mobile: _____ 209. Client Email: _____ 210. Client Website: _____ 211. Client Fax: _____ 212. Client Mobile: _____ 213. Client Email: _____ 214. Client Website: _____ 215. Client Fax: _____ 216. Client Mobile: _____ 217. Client Email: _____ 218. Client Website: _____ 219. Client Fax: _____ 220. Client Mobile: _____ 221. Client Email: _____ 222. Client Website: _____ 223. Client Fax: _____ 224. Client Mobile: _____ 225. Client Email: _____ 226. Client Website: _____ 227. Client Fax: _____ 228. Client Mobile: _____ 229. Client Email: _____ 230. Client Website: _____ 231. Client Fax: _____ 232. Client Mobile: _____ 233. Client Email: _____ 234. Client Website: _____ 235. Client Fax: _____ 236. Client Mobile: _____ 237. Client Email: _____ 238. Client Website: _____ 239. Client Fax: _____ 240. Client Mobile: _____ 241. Client Email: _____ 242. Client Website: _____ 243. Client Fax: _____ 244. Client Mobile: _____ 245. Client Email: _____ 246. Client Website: _____ 247. Client Fax: _____ 248. Client Mobile: _____ 249. Client Email: _____ 250. Client Website: _____ 251. Client Fax: _____ 252. Client Mobile: _____ 253. Client Email: _____ 254. Client Website: _____ 255. Client Fax: _____ 256. Client Mobile: _____ 257. Client Email: _____ 258. Client Website: _____ 259. Client Fax: _____ 260. Client Mobile: _____ 261. Client Email: _____ 262. Client Website: _____ 263. Client Fax: _____ 264. Client Mobile: _____ 265. Client Email: _____ 266. Client Website: _____ 267. Client Fax: _____ 268. Client Mobile: _____ 269. Client Email: _____ 270. Client Website: _____ 271. Client Fax: _____ 272. Client Mobile: _____ 273. Client Email: _____ 274. Client Website: _____ 275. Client Fax: _____ 276. Client Mobile: _____ 277. Client Email: _____ 278. Client Website: _____ 279. Client Fax: _____ 280. Client Mobile: _____ 281. Client Email: _____ 282. Client Website: _____ 283. Client Fax: _____ 284. Client Mobile: _____ 285. Client Email: _____ 286. Client Website: _____ 287. Client Fax: _____ 288. Client Mobile: _____ 289. Client Email: _____ 290. Client Website: _____ 291. Client Fax: _____ 292. Client Mobile: _____ 293. Client Email: _____ 294. Client Website: _____ 295. Client Fax: _____									

[illegible][illegible]

FBI MEMPHIS
 CHAIRMAN OF BOARD
 Committee of Compliance & External Reporting
 3000 Union Deposit
 Memphis, Tenn 38102
 6/1/78
 100-442444
 100-442444

A. SELECTION PANEL: ☐ Select all to be considered for consideration. Select: ☐ No ☐ Yes ☐ No ☐ Yes		B. COUNTRY/NO. OF COUNTRIES		C. TOTAL COUNTRY/NO. OF COUNTRIES		D. TOTAL COUNTRY/NO. OF COUNTRIES	
☐ Do not include possible listing for other. Possible listing for other may be possible only if it is a 100% to 100% listing.		☐ Selected for listing for other. Possible listing for other may be possible only if it is a 100% to 100% listing.		☐ Selected for listing for other. Possible listing for other may be possible only if it is a 100% to 100% listing.		☐ Selected for listing for other. Possible listing for other may be possible only if it is a 100% to 100% listing.	
AREA COUNTRY POWER RANKING POWER ALLOWANCE		AREA COUNTRY POWER RANKING POWER ALLOWANCE		AREA COUNTRY POWER RANKING POWER ALLOWANCE		AREA COUNTRY POWER RANKING POWER ALLOWANCE	
Location in Ranking		Primary location in Ranking		Primary location in Ranking		Primary location in Ranking	
1. ☐ 1st/2nd/3rd/4th/5th/6th/7th/8th/9th/10th/11th/12th/13th/14th/15th/16th/17th/18th/19th/20th/21st/22nd/23rd/24th/25th/26th/27th/28th/29th/30th/31st/32nd/33rd/34th/35th/36th/37th/38th/39th/40th/41st/42nd/43rd/44th/45th/46th/47th/48th/49th/50th/51st/52nd/53rd/54th/55th/56th/57th/58th/59th/60th/61st/62nd/63rd/64th/65th/66th/67th/68th/69th/70th/71st/72nd/73rd/74th/75th/76th/77th/78th/79th/80th/81st/82nd/83rd/84th/85th/86th/87th/88th/89th/90th/91st/92nd/93rd/94th/95th/96th/97th/98th/99th/100th/101st/102nd/103rd/104th/105th/106th/107th/108th/109th/110th/111th/112th/113th/114th/115th/116th/117th/118th/119th/120th/121st/122nd/123rd/124th/125th/126th/127th/128th/129th/130th/131st/132nd/133rd/134th/135th/136th/137th/138th/139th/140th/141st/142nd/143rd/144th/145th/146th/147th/148th/149th/150th/151st/152nd/153rd/154th/155th/156th/157th/158th/159th/160th/161st/162nd/163rd/164th/165th/166th/167th/168th/169th/170th/171st/172nd/173rd/174th/175th/176th/177th/178th/179th/180th/181st/182nd/183rd/184th/185th/186th/187th/188th/189th/190th/191st/192nd/193rd/194th/195th/196th/197th/198th/199th/200th/201st/202nd/203rd/204th/205th/206th/207th/208th/209th/210th/211st/212nd/213rd/214th/215th/216th/217th/218th/219th/220th/221st/222nd/223rd/224th/225th/226th/227th/228th/229th/230th/231st/232nd/233rd/234th/235th/236th/237th/238th/239th/240th/241st/242nd/243rd/244th/245th/246th/247th/248th/249th/250th/251st/252nd/253rd/254th/255th/256th/257th/258th/259th/260th/261st/262nd/263rd/264th/265th/266th/267th/268th/269th/270th/271st/272nd/273rd/274th/275th/276th/277th/278th/279th/280th/281st/282nd/283rd/284th/285th/286th/287th/288th/289th/290th/291st/292nd/293rd/294th/295th/296th/297th/298th/299th/300th/301st/302nd/303rd/304th/305th/306th/307th/308th/309th/310th/311st/312nd/313rd/314th/315th/316th/317th/318th/319th/320th/321st/322nd/323rd/324th/325th/326th/327th/328th/329th/330th/331st/332nd/333rd/334th/335th/336th/337th/338th/339th/340th/341st/342nd/343rd/344th/345th/346th/347th/348th/349th/350th/351st/352nd/353rd/354th/355th/356th/357th/358th/359th/360th/361st/362nd/363rd/364th/365th/366th/367th/368th/369th/370th/371st/372nd/373rd/374th/375th/376th/377th/378th/379th/380th/381st/382nd/383rd/384th/385th/386th/387th/388th/389th/390th/391st/392nd/393rd/394th/395th/396th/397th/398th/399th/400th/401st/402nd/403rd/404th/405th/406th/407th/408th/409th/410th/411st/412nd/413rd/414th/415th/416th/417th/418th/419th/420th/421st/422nd/423rd/424th/425th/426th/427th/428th/429th/430th/431st/432nd/433rd/434th/435th/436th/437th/438th/439th/440th/441st/442nd/443rd/444th/445th/446th/447th/448th/449th/450th/451st/452nd/453rd/454th/455th/456th/457th/458th/459th/460th/461st/462nd/463rd/464th/465th/466th/467th/468th/469th/470th/471st/472nd/473rd/474th/475th/476th/477th/478th/479th/480th/481st/482nd/483rd/484th/485th/486th/487th/488th/489th/490th/491st/492nd/493rd/494th/495th/496th/497th/498th/499th/500th/501st/502nd/503rd/504th/505th/506th/507th/508th/509th/510th/511st/512nd/513rd/514th/515th/516th/517th/518th/519th/520th/521st/522nd/523rd/524th/525th/526th/527th/528th/529th/530th/531st/532nd/533rd/534th/535th/536th/537th/538th/539th/540th/541st/542nd/543rd/544th/545th/546th/547th/548th/549th/550th/551st/552nd/553rd/554th/555th/556th/557th/558th/559th/560th/561st/562nd/563rd/564th/565th/566th/567th/568th/569th/570th/571st/572nd/573rd/574th/575th/576th/577th/578th/579th/580th/581st/582nd/583rd/584th/585th/586th/587th/588th/589th/590th/591st/592nd/593rd/594th/595th/596th/597th/598th/599th/600th/601st/602nd/603rd/604th/605th/606th/607th/608th/609th/610th/611st/612nd/613rd/614th/615th/616th/617th/618th/619th/620th/621st/622nd/623rd/624th/625th/626th/627th/628th/629th/630th/631st/632nd/633rd/634th/635th/636th/637th/638th/639th/640th/641st/642nd/643rd/644th/645th/646th/647th/648th/649th/650th/651st/652nd/653rd/654th/655th/656th/657th/658th/659th/660th/661st/662nd/663rd/664th/665th/666th/667th/668th/669th/670th/671st/672nd/673rd/674th/675th/676th/677th/678th/679th/680th/681st/682nd/683rd/684th/685th/686th/687th/688th/689th/690th/691st/692nd/693rd/694th/695th/696th/697th/698th/699th/700th/701st/702nd/703rd/704th/705th/706th/707th/708th/709th/710th/711st/712nd/713rd/714th/715th/716th/717th/718th/719th/720th/721st/722nd/723rd/724th/725th/726th/727th/728th/729th/730th/731st							

CERTIFICATE OF COMPLIANCE
Welding System General Information
 System Name: Antigen Release of Path
 Date: 11/11/2011 Page 2 of 27

[illegible][illegible]

1	Global Health / Global Health	1	Global Health / Global Health
2	Global Health / Global Health	2	Global Health / Global Health
3	Global Health / Global Health	3	Global Health / Global Health
4	Global Health / Global Health	4	Global Health / Global Health
5	Global Health / Global Health	5	Global Health / Global Health
6	Global Health / Global Health	6	Global Health / Global Health
7	Global Health / Global Health	7	Global Health / Global Health
8	Global Health / Global Health	8	Global Health / Global Health
9	Global Health / Global Health	9	Global Health / Global Health
10	Global Health / Global Health	10	Global Health / Global Health
11	Global Health / Global Health	11	Global Health / Global Health
12	Global Health / Global Health	12	Global Health / Global Health
13	Global Health / Global Health	13	Global Health / Global Health
14	Global Health / Global Health	14	Global Health / Global Health
15	Global Health / Global Health	15	Global Health / Global Health

CERTIFICATE OF COMPLIANCE

Officer of Compliance - under Testing Power Absence

Signature: A. J. S. V. V. V. V. V. V.

Date: 6-16-15

PAGE 308

4. COMPLETE BUILDING WIRING LAMPING POWER ALLOWANCE			
A TYPE OF BUILDING: _____ TYPE OF BUILDING: _____ TYPE OF BUILDING: _____			
B WALLS _____ FLOORS _____ CEILING _____ ROOF _____ STAIRS _____		C COMPOSITE _____ ROOF _____ STAIRS _____	
D ALUMINUM _____ WIRING _____		E ALUMINUM _____ WIRING _____	



Certificate of Compliance - School Building Project Above and Below

Name: Alexander L. Blevins d. 08/06/17

Date: _____ Page: 4 of 4

[illegible]

CAPTIVE SMO FILTERS



SECTIONAL VIEW - STANDARD SMO FILTER

The SMO filter is a standard unit with a built-in alarm system. It is designed to be installed in a wall or ceiling. The filter media is made of a fine mesh material which traps smoke particles. The alarm system consists of a bell and a siren which are activated when the filter becomes clogged.


The SMO filter is a standard unit with a built-in alarm system. It is designed to be installed in a wall or ceiling. The filter media is made of a fine mesh material which traps smoke particles. The alarm system consists of a bell and a siren which are activated when the filter becomes clogged.

SECTIONAL VIEW - SMO FILTER WITH BUILT-IN ALARM

The SMO filter with a built-in alarm system is designed to be installed in a wall or ceiling. It features a built-in alarm system which consists of a bell and a siren. The alarm system is activated when the filter becomes clogged. The filter media is made of a fine mesh material which traps smoke particles.



BUILDING CODES



1/2 Pint Grease Cup Detail
The grease cup is a standard unit which is designed to be installed in a wall. It is used to collect grease and oil from the walls of a kitchen or restaurant. The grease cup is made of a heavy-duty material and has a built-in alarm system which is activated when the cup becomes full.



NO. 2 HANGING ANGLE DETAIL

The hanging angle detail is a standard unit which is designed to be installed in a wall. It is used to hang a SMO filter or a grease cup. The hanging angle is made of a heavy-duty material and has a built-in alarm system which is activated when the unit becomes full.

NO. 2 HANGING ANGLE DETAIL	NO. 2 HANGING ANGLE DETAIL	NO. 2 HANGING ANGLE DETAIL
1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75
76	77	78
79	80	81
82	83	84
85	86	87
88	89	90
91	92	93
94	95	96
97	98	99
100	101	102

HANGING ANGLE LOCATIONS





FIG. 1 - SMO FILTER WITH BUILT-IN ALARM



SECTIONAL VIEW - SMO FILTER WITH BUILT-IN ALARM	SECTIONAL VIEW - SMO FILTER WITH BUILT-IN ALARM	SECTIONAL VIEW - SMO FILTER WITH BUILT-IN ALARM
1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75
76	77	78
79	80	81
82	83	84
85	86	87
88	89	90
91	92	93
94	95	96
97	98	99
100	101	102

SECTIONAL VIEW - SMO FILTER WITH BUILT-IN ALARM





FIG. 2 - SMO FILTER WITH BUILT-IN ALARM

100 SMO FILTERS AND 100 GREASE CUPS FOR 100 BUILDINGS. 100 SMO FILTERS AND 100 GREASE CUPS FOR 100 BUILDINGS. 100 SMO FILTERS AND 100 GREASE CUPS FOR 100 BUILDINGS.




Garden Liquor & Deli
SANTA CRUZ, CA. 95061


SHEET NO. 1
DATE: 7/2/76
DRAWN BY: J. L. GARDEN
CHECKED BY: J. L. GARDEN
MASTER DRAWING

[illegible][illegible]

- [illegible]




DATE: 7/12/2014 10:10 AM
PAGE: 1

[illegible]

ALL WELDED, HEAVY DUTY CARBON STEEL
MILL WAREHOUSE WITH 100' TALL
TRUSS ROOF. INTERIOR FLOORING
PERFORM BY ARCHITECTURAL FIRM.
HEAVY DUTY WELDED MILD STEEL
CONCRETE FLOOR IS 4" WITH 6" REINFORCING.

COMMERCIAL QUANTITIES CAN BE PROVIDED IN
1 OR 3 CASE
METHODS ARE SHIPPED LOOSE
COFFERS CAN BE ORDERED AS A
THERM INSULATOR OR FIBER INSULATOR



These products and services are available for
production at the following locations:
...for more information on the situation, contact:
Cable News Network
1100 Broadway, New York, NY 10019
Phone: (212) 512-1000, Fax: (212) 512-1000

SHEET NO.

Garden Liquor & Deli
SANTA CRUZ, CA, 95061

CAPTIVE

NORTHERN CALIFORNIA OFFICE

T116 Burnett Ave. Suite G, Concord, CA, 94520 PHONE: (925) 882-1008 FAX: (925) 552-8565 EMAIL: red97@captiva.net com

**EXISTING
GARDEN LIQUOR & DELI**
2640 SF

2640 S.

EXISTING

(କ) ଧନ୍ୟ ମାତା

0109000000

48" level lands
w/ FLUSH TRANSITION

ACCESSIBLE
PATH OF TRAVEL.
TYPICAL

PROVIDE TWO NEW SCHED 40 GALV. 2" DIA TUBE STEEL BICYCLE RACKS w/ CURRENT PROFILE, REFER TO DETAILS

2 ⑤

⑤

•